

United States Patent and Trademark Office

W

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
10/644,992	08/21/2003	Michael Dalpiaz	66489-28-5 7100 EXAMINER	
759	05/11/2006			
Dykema Gossett PLLC			HO, ALLEN C	
Suite 300 West 1300 I Street, N.W. Washington, DC 20005-3306			ART UNIT	PAPER NUMBER
			2882	
		DATE MAILED: 05/11/2006		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Application No.	Applicant(s)			
Office Action Summary		10/644,992	DALPIAZ ET AL.			
		Examiner	Art Unit			
		Allen C. Ho	2882			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).						
Status						
2a) ☐ 3) ☐	 Responsive to communication(s) filed on <u>25 April 2006</u>. This action is FINAL. 2b) ☐ This action is non-final. Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i>, 1935 C.D. 11, 453 O.G. 213. 					
Disposition of Claims						
 4) Claim(s) 1-4,6-19 and 21-29 is/are pending in the application. 4a) Of the above claim(s) is/are withdrawn from consideration. 5) Claim(s) is/are allowed. 6) Claim(s) 1-4,6-19 and 21-29 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/or election requirement. 						
Applicati	on Papers					
10)⊠	The specification is objected to by the Examine The drawing(s) filed on 13 April 2005 is/are: a) Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Example 2005.	⊠ accepted or b) ☐ objected to be drawing(s) be held in abeyance. See tion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).			
Priority u	inder 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachmen	t(s)					
2) Notic 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO-1449 or PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal P 6) Other:	·			

Art Unit: 2882

DETAILED ACTION

Claim Rejections - 35 USC § 102

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

2. Claims 1-4, 6-9, 11, 12, 14-19, 21, 22, 24, 25, and 27-29 are rejected under 35 U.S.C. 102(e) as being anticipated by Milnes (U. S. Patent No. 6,463,121 B1).

With regard to claims 1, 2, 9, and 15, Milnes disclosed a system for positioning dental x-ray apparatus, comprising: an input and output device (122) for interactive control (column 3, lines 47-64); a storage area (710, 725), in which at least one digitized dental x-ray image (when x-ray image comprises teeth) and information (the x-ray gantry and table positions) concerning the dental x-ray apparatus assignable to the digitized x-ray image are stored (column 4, lines 10-16); a computer interface (710), via which information can be interchanged with the dental x-ray apparatus; means (122) for selecting area in the digitized dental x-ray image; a processing unit (120, 710) which effects calculations based on the digitized dental x-ray image, the relevant information concerning the dental x-ray apparatus, and the selected area, in order to ascertain control data for the dental x-ray apparatus (column 5, lines 43-55), wherein the dental x-ray apparatus is controllable by the control data such that the selected area is covered when a new dental x-ray image is made, and wherein the information concerning the x-ray apparatus

Art Unit: 2882

comprises coordinates of a trajectory which have been saved in relation to the digitized x-ray image (column 3, lines 1-31), wherein the digitized dental x-ray image is a panoramic image, and wherein the trajectory gives knowledge of movement of the dental x-ray apparatus carried out at a certain point of time (this is simply the definition of a trajectory).

With regard to claim 3, Milnes disclosed a system as defined in claim 1, wherein means for selecting the type of image (different portion of a patient) are provided.

With regard to claim 4, Milnes disclosed a system as defined in claim 1, further comprising means (720) for positioning a patient relatively to the x-ray apparatus, wherein the control data is adapted to control the means for positioning the patient (column 5, lines 46-55).

With regard to claim 6, Milnes disclosed a system as defined in claim 1, wherein the storage area includes current and/or voltage parameters saved in relation to the digitized x-ray image (x-ray tube control, Fig 8).

With regard to claim 7, Milnes disclosed a system as defined in claim 1, wherein the storage area includes information concerning gray tones in the representation of image saved in relation to the digital x-ray image (This is inherent as a digital x-ray image comprises gray tone information).

With regard to claim 8, Milnes disclosed a system as defined in claim 1, wherein the processing unit includes computation for determining the control data which takes into account the type of image (position of the image).

With regard to claim 11, Milnes disclosed a system as defined in claim 1, further comprising means for automatically recognizing areas by pattern recognition algorithm (column 6, lines 3-63).

Art Unit: 2882

With regard to claim 12, Milnes disclosed a system as defined in claim 1, wherein the selecting means are designed such that areas can be selected manually (column 3, lines 47-56).

With regard to claim 14, Milnes disclosed a system as defined in claim 1, further comprising means (930) for making a series of radiograms at different positions starting from a selected position.

With regard to claims 16 and 17, Milnes disclosed a method of positioning one of an emitter (132) and a detector (142) of a dental x-ray apparatus using an existing digitized dental xray image and information concerning the dental x-ray apparatus and assignable to the digitized dental x-ray image, comprising the steps of: loading and displaying at least one digitized dental x-ray image (315); determining coordinates of areas, with reference to the digitized dental x-ray image, which are to be depicted in another x-ray image (320); loading information (the x-ray gantry and table positions) concerning the dental x-ray apparatus; carrying out computation (325) on the basis of the digitized x-ray image, relevant information concerning the dental x-ray apparatus, and a selected area, in order to ascertain control data which controls the dental x-ray apparatus such that the selected area can be depicted in a new dental x-ray image (column 4, lines 17-38), wherein the information concerning the x-ray apparatus comprises coordinates of the trajectory which have been saved in relation to the digitized x-ray image (column 3, lines 1-31), and a segment of the trajectory is calculated on the basis of the selected area (column 5, lines 43-49), wherein the digitized dental x-ray image is a panoramic image, and wherein the trajectory gives knowledge of movement of the dental x-ray apparatus carried out at a certain point of time (this is simply the definition of a trajectory).

Art Unit: 2882

With regard to claim 18, Milnes disclosed a method as defined in claim 16, wherein the type of image (different portion of a patient) to be made by the x-ray apparatus is selected prior to the step of loading information concerning the dental x-ray apparatus.

With regard to claim 19, Milnes disclosed a method as defined in claim 16, wherein the control data is adapted to control means for positioning the patient relative to the x-ray apparatus (column 5, lines 46-55).

With regard to claim 21, Milnes disclosed a method as defined in claim 16, wherein the computation step includes one of a current and voltage parameters which are saved in relation to the digitized x-ray image (x-ray tube control, Fig. 8).

With regard to claim 22, Milnes disclosed a method as defined in claim 16, wherein the computation for determination of the control data takes into account one of the type of examination and the purpose of diagnosis of the patient (the location of the image).

With regard to claim 24, Milnes disclosed a method as defined in claim 16, wherein the computation step includes automatically recognizing areas by pattern recognition (column 6, lines 3-63).

With regard to claim 25, Milnes disclosed a method as defined in claim 16, wherein the areas can be determined manually (column 3, lines 47-56).

With regard to claim 27, Milnes disclosed a method as defined in claim 16, further comprising the step of making a series of radiograms (930) at different positions starting from the selected position.

With regard to claim 28, Milnes disclosed a system as defined in claim 11, wherein the areas are teeth (the system tracks changes in position of any object, column 6, lines 3-63).

With regard to claim 29, Milnes disclosed a method as define din claim 24, wherein the areas are teeth (the system tracks changes in position of any object, column 6, lines 3-63).

Claim Rejections - 35 USC § 103

- 3. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 4. Claims 10, 13, 23, and 26 are rejected under 35 U.S.C. 103(a) as being unpatentable over Milnes (U. S. Patent No. 6,463,121 B1) as applied to claims 1 and 16 above, and further in view of Relihan *et al.* (U. S. Patent No. 6,233,310).

With regard to claims 10 and 23, Milnes disclosed a system as defined in claim 1 and a method as defined in claim 16. However, although Milnes disclosed a storage area that includes patient-dependent data (patient management, Fig. 8), Milnes fails to teach that this information is taken into account when determining the control data.

Relihan *et al.* disclosed an x-ray exposure management and control system. Relihan *et al.* taught that control data are generated based on patient size (column 4, lines 35-55). As a result, optimal image quality is achieved (column 3, lines 57-67).

It would have been obvious to a person of ordinary skill in the art at the time the invention was made to determine the control data using patient-dependent data, since a person would be motivated to obtain high-quality images of a patient.

Art Unit: 2882

With regard to claims 13 and 23, Milnes in combination with Relihan *et al.* disclosed a system as defined in claim 10 and a method as defined in claim 23, wherein the proceeding unit includes one of statistical and stochastic linkings (neural network) of the patient-dependent data (column 6, lines 1-49).

Response to Arguments

- 5. Applicant's arguments filed 20 March 2006 with respect to claim 15 have been fully considered and are persuasive. The objection of claims 15 has been withdrawn.
- 6. Applicant's arguments filed 20 March 2006 have been fully considered but they are not persuasive.

The applicants argue that Milnes failed to teach that the information concerning the x-ray apparatus comprises coordinates of a trajectory which have been saved in relation to the digitized x-ray image. The examiner respectfully disagrees. The examiner repeats the same argument presented in the last office action. Milnes disclosed that an operator selects a next position within an x-ray image shown on the display (i. e., a stored x-ray image) for the next image to be acquired (column 5, lines 43-46), and the processing unit (710) processes the information received from the operator and moves the x-ray apparatus to the next position (column 5, lines 46-64). It is necessary that a specific trajectory from the present position to the next position is determined or calculated and stored a priori before the processing unit could actually move the x-ray apparatus from the present position to the next position because there is an infinite number of trajectories (e. g., straight lines, curves, etc.) that connect the present position and the next position. As shown in Figs. 5A and 5B, a next position (502) is selected within an x-ray image

(500), the system must determine and/or calculate a trajectory that connects the present position (the center of x-ray image 500) to the next position before the system could even move the x-ray apparatus. Milnes explicitly pointed out that the algorithm and operations are performed on data stored in a computer memory (column 3, lines 1-31). It is clear that the determined/calculated trajectory must be stored in a computer memory because the processing unit is a computer. In other words, every bit of data, which includes x-ray images, control data, and trajectories, that the computer processes and/or manipulates is stored in a memory. A computer can only interact with data stored in a memory.

The applicants argue that Milnes failed to disclose a panoramic x-ray image. Specifically, the applicants argue that a panoramic x-ray image is based on a movement of the xray apparatus relative to the patient. The examiner respectfully disagrees. The x-ray images disclosed by Milnes are also based on a movement of the x-ray apparatus relative to the patient (column 5, lines 49-55).

In response to applicant's argument that the references fail to show certain features of applicant's invention, it is noted that the features upon which applicant relies (i.e., absolute position of the x-ray apparatus and mode of acquisition) are not recited in the rejected claim(s). Although the claims are interpreted in light of the specification, limitations from the specification are not read into the claims. See In re Van Geuns, 988 F.2d 1181, 26 USPQ2d 1057 (Fed. Cir. 1993).

Therefore, the rejections are being maintained.

Application/Control Number: 10/644,992 Page 9

Art Unit: 2882

Conclusion

Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Allen C. Ho whose telephone number is (571) 272-2491. The

examiner can normally be reached on Monday - Friday from 8:00 am - 5:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Edward J. Glick can be reached on (571) 272-2490. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

allen C. Ho

Allen C. Ho, Ph.D. Primary Examiner

Art Unit 2882

09 May 2006